CONTENTS

Investigation of rotational isomerism of phenylalkyl sulphides
G.N. Dolenko and A.L. Litvin (Irkutsk, USSR) 1
X-ray investigation of electron density redistribution on complexation
G.N. Dolenko, A.L. Litvin, V.P. Elin and O.Kh. Poleshchuk (Irkutsk, USSR) 11
Etude ab initio des états excités de type Σ de OH^-
N. Komiha, A. Elkaroini et M. Hliwa (Rabat, Maroc) 29
Ab initio study of the reaction between $Cl_4W{=}CH_2$ and ethylene
M. Sodupe, J.M. Lluch, A. Oliva and J. Bertrán (Barcelona, Spain) 37
Isomeric interplay in the trimeric systems 2HF–HCN and HF–2HCN
Z. Slanina and F. Uhlík (Mainz, Germany), W.B. de Almeida and A. Hinchliffe (Manchester, UK) 49
Structure électronique du complexe $[(\eta^5\text{-}C_5H_5)Fe(\eta^6\text{-biphényle})]^+$ et de ses états réduits
H. Rabaâ et M. Chraibi (Rabat, Maroc), D. Astruc (Bordeaux, France), J.-Y. Saillard et A. Le Beuze (Rennes, France) 57
The conformation of aniline and its intramolecular force
Z.H. Yu and M.Q. Jiang (Beijing, People's Republic of China) 69
Xα local spin density calculations. First-row diatomic molecules
S. Fliszár, N. Desmarais and M. Comeau (Montreal, Que., Canada) 83
The methoxy radical
J.T. Carter and D.B. Cook (Sheffield, UK) 111
AM1/CI 3×3 studies on C–H and C–C bond dissociations
T. Körtvélyesi and L. Seres (Szeged, Hungary) 123
The structure of the ferromagnetic phase of carbon
A.A. Ovchinnikov and I.L. Shamovsky (Moscow, USSR) 133
Ab initio molecular orbital studies on a singlet–triplet splitting of C_3H_6 and C_4H_8 molecules
A.A. Ovchinnikov, I.L. Shamovsky and K.V. Bozhenko (Moscow, USSR) 141
An ab initio study of the ligands diphosphinoamine and diphosphinomethane in the chelating and bridging geometries
C.S. Browning, D.H. Farrar and M.R. Peterson (Toronto, Ont., Canada) 153
Electronic structures of $[M_3(\mu_3\text{–}X)(\mu_2\text{–}S_2)_3]^{4+}$ (M=Mo,Ti) cluster compounds and the effects of the μ_3–X cap to the self-assembly in cluster synthesis
Y. Wang and J. Wang (Xiamen, People's Republic of China) and J. Li (Fuzhou, People's Republic of China) 165
A semiempirical molecular orbital and dynamic NMR study of conformational isomerism in angiotensin-converting enzyme inhibitors
D.V.S. Green, I.H. Hillier and G.A. Morris (Manchester, UK), N. Gensmantel, D.W. Payling and D.H. Robinson (Loughborough, UK) 173
Semiempirical molecular orbital calculations on the prototropic tautomerism of 2-thiocytosine
J.G. Contreras and J.B. Alderete (Concepcion, Chile) and J.A. Gnecco (Los Angeles, Chile) 195
Theoretical calculations of β-lactam antibiotics. Part 2. AM1, MNDO and MINDO/3 calculations of some cephalosporins
J. Frau, J. Donoso and F. Muñoz (Palma, Spain) and F. García Blanco (Madrid, Spain) 205
Ab initio calculations of structural features not easily amenable to experiment. Part 74. Conformational analysis of cyclotrimethylene-trinitramine (RDX)
J.M. Coffin, S.Q. Newton, J.D. Ewbank and L. Schäfer (Fayetteville, AR, USA), C. Van Alsenoy (Wilrijk, Belgium) and K. Siam (Pittsburg, KS, USA) 219
Hermite–Gaussian functions as basis sets in ab initio calculations
K. Kovačević and M. Primorac (Zagreb, Yugoslavia) 229
AM1 calculations on a series of bicyclic azetidin-2-ones and bicyclic 1,3-diazetidin-2-ones: investigations towards putative β-lactamase inactivators
A. Nangia (Hyderabad, India) 237

Basis sets for molecular interactions. Part 4. Energy decomposition analysis
Z. Latajka (Wroclaw, Poland) 245
MNDO and MNDO/D finite field calculations of molecular polarizability and hyperpolarizabilities
A.K. Chandra and M. Banerjee (Burdwan, India) 261
The domination of Hund's rule by the kinetic energy differences for molecular systems at all internuclear separations
S.-B. Liu (Hunan, People's Republic of China), X.-Y. Liu (Beijing, People's Republic of China), Q.-S. Yang and Y.-X. Yu (Hunan, People's Republic of China) 271
Comparison of the 9-anilinoacridines *o*-AMSA (4′-(acridin-9-ylamino)-2′methoxymethanesulfonanilide) and *m*-AMSA (4′-(acridin-9-ylamino)-3′-methoxymethanesulfonanilide). A molecular mechanics, dynamics and semiepirical molecular orbital study
D.A. Smith, M.J. Gilbert, C.W. Ulmer II and S.F. Cheatham (Toledo, OH, USA) 283
A quantum topological study on the interaction between CH_3OH and H_2CO molecules
W. Cao, J. Zhang and X. Fu (Beijing, People's Republic of China) 297
Conformational analysis, molecular modeling and quantitative structure–activity relationship studies of 2,4-diamino-6,7-dimethoxy-2-substituted quinazoline α_1-adrenergic antagonists
G. Rastelli, F. Fanelli, M.C. Menziani, M. Cocchi and P.G. De Benedetti (Modena, Italy) 307
An ab initio conformational analysis of isobutylamine and diisopropylamine
B. Fernández, R.A. Mosquera and M.A. Ríos (Santíago de Compostela, Spain) 319
Helium chemistry of rare earth elements: pseudopotential study of the cations $LnHe^{3+}$
M. Dolg, H. Stoll and H. Preuss (Stuttgart, Germany) 327
MNDO effective charge model with induced charges on the molecular surface and conformational analysis of histamine in water
T. Natsui and O. Kikuchi (Tsukuba, Japan) 335
Flavonoid conformational analysis: comparison of the molecular structures of (*Z*)-4,4′, 6-triacetoxyaurone and (*Z*)-3′, 5′-dibromo-2′, 4,4′, 6-tetrahydroxyaurone monohydrate by crystallographic and molecular orbital methods
E. Ciszak, V. Cody and J. Luft (Buffalo, NY, USA), R.J. Kempton and B.S. Kesler (Highland Heights, KY, USA) 345
Electric field mapping of bipyridine cardiotonics: amrinone and milrinone
A. Kumar (Varanasi, India), A.K. Bhattacharjee (Shillong, India) and P.C. Mishra (Varanasi, India) 359
Characterization of all-benzenoid hydrocarbons
I. Gutman (Kragujevac, Yugoslavia) and D. Babić (Zagreb, Yugoslavia) 367
Influence of the interaction between asymmetry centres on the kinetics of racemization
B. Saint-Martin and A. Julg (Marseilles, France) 375

Short Communications
Charge-asymmetry and charge-alternation concepts in inorganic and organic molecules
G. Van Hooydonk and D. De Keukeleire (Gent, Belgium) 385
The structure of 1,4′-dihydroxybenzyl cation
S.G. Semenov and E.S. Apostolova (Leningrad, USSR) and S.M. Shevchenko (Raleigh, NC, USSR) 389
Comparative study of semiempirical quantum chemical methods, using $Co_2P_2(CO)_6$ as a model compound
G. Dömötör and M.I. Bán (Szeged, Hungary) 395

Author index 399

Subject index 401